

STUDIOLINE Lamps

Compact fluorescent lamps for SSTV



Areas of application

- Film shooting
- Matched to use with electronic cameras

Product family benefits

- Can be used with halogen or HMI lamps without any problems

Product family features

- Special phosphor combination







Product family datasheet

Technical data

	Electrical data	Photometrical data			Dimensions & weight	Lifespan	Additional product data
Product description	Nominal voltage	Nominal luminous flux	Luminous flux	Color temper- ature	Length	Lifespan	Base (standard designation)
STUDIOLINE 55 W/3200 K	100 V	3800 lm	3800 lm	3200 K	535.9 mm	8000 h	2G11
STUDIOLINE 55 W/5600 K	100 V	3800 lm	3800 lm	5600 K	535.9 mm	8000 h	2G11

	Capabilities		Certificates & standards	Country specific categorizations
Product description	Dimmable	Burning position	EEI – Energy Label	ANSI code
STUDIOLINE 55 W/3200 K	Only with specific dimmers	Other	В	Other
STUDIOLINE 55 W/5600 K	Only with specific dimmers	Other	В	Other

 $^{^{1)}}$ Failure rate 2 % the first 8000 h. This statement must be restricted only to attributable lamp faults.

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.