

# 64642 HLX

Low-voltage halogen lamps without reflector



#### Areas of application

- Lamps for special luminaires
- Medical fiber optics (HLX)

#### Product family benefits

- Compared to standard lamps up to 10 % higher luminous efficacy (HLX)
- Instant light (HLX)

#### Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)
- HLX tungsten halogen low-voltage lamp with or without reflector
- Dimmable (HLX)



April 25, 2024, 18:34:26 64642 HLX

### Technical data

## **Product information**

Order reference	64642 HLX		
Electrical data			
Nominal voltage	240 V		


15000 W

#### Photometrical data

Nominal wattage

Color temperature	3450 К	
Nominal luminous flux	5000 lm	
Color rendering index Ra	100	

# Dimensions & weight



Diameter	115 mm
Length	500 mm
Light center length (LCL)	31.7 mm <sup>1)</sup>
Filament length	6.00 mm
Illuminated field	6.0*3.2 mm <sup>2</sup>
Filament diameter	3.2 mm

1) <sub>±0.3</sub> mm

## Lifespan

Base (standard designation)	G6.35
Minimum diameter of lamp enclosure	11 mm

## Capabilities

Burning position	s90

## **Country specific categorizations**

ANSI code	FDV
LIF	M/184
Order reference	64642 HLX

#### **Environmental information**

# Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	29-02-2024		
Primary Article Identifier	4050300012025   4008321173867   4008321333865		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

#### Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300012025	OSRH64642HLX	-	4736542	-
4050300012025	OSRH64642HLX	-	4736542	-



## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300012025	64642 HLX	Folding carton box 1	- x - x -		
4050300992129	64642 HLX	Shipping carton box 40	144 mm x 107 mm x 121 mm	1.86 dm³	221.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.