

# HBO 1000...1750 W/NIL

HBO-IC Microlithography lamps for other systems | Microlithography lamps for other systems







# Product datasheet

## Technical data

## **Electrical data**

Nominal voltage	260 V	
Nominal current	67 A	
Type of current	DC	
Rated wattage	175000 W	
Nominal wattage	100000 175000 W	

## Dimensions & weight

Diameter	9990 mm
Length	2320 mm

# Capabilities

Burning position Ot	ther
---------------------	------

## **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration	05-03-2024			
Primary Article Identifier	4050300882482			
Candidate List Substance 1	Lead			
CAS No. of substance 1	7439-92-1			
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.			
Declaration No. in SCIP database	a984866f-9f99-4b20-86a3-b1baed8b09ef			

#### Product datasheet

#### Safety advice

Because of their high luminance, UV radiation and high internal pressure (when hot) HBO lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Mercury is released if the lamp breaks. Special safety precautions must be taken. More information is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300882482	HBO 10001750 W/NIL	Shipping carton box 1	999 mm x 999 mm x 999 mm	997.00 dm³	999000.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.