


VIP

Lamps for video projection



Product family datasheet

Technical data

Product description	Electrical data	Photometrical data	
	Nominal voltage	Light color (designation)	Nominal luminous flux
P-VIP 100...120 W/1.0 P22HA	85.0 V	Daylight	
P-VIP 100...120 W/1.3 E23A	85.0 V	Daylight	
P-VIP 100...120 W/1.3 E23HA	85.0 V	Daylight	120 lm
P-VIP 150...180 W/1.0 E22RA	85.0 V	Daylight	
P-VIP 180 W/1.0 E20.6A	85.0 V	Daylight	7300 lm
P-VIP 180-230/1.0 E20.6	85.0 V	Daylight	
P-VIP 190/0.8 E20.8	85.0 V	Daylight	
P-VIP 220 W/1.0 E20.8 EDU	80.0 V	Daylight	
P-VIP 230/0.8 E20.8 NE	76.0 V	Daylight	
P-VIP 240/0.8 E20.9n	70.0 V	Daylight	
P-VIP 250/1.3 E21.8A	85.0 V	Daylight	7500 lm
P-VIP 250/1.3 cE21.5	87.5 V	Daylight	
P-VIP 280/0.9 E20.6	80.0 V	Daylight	
P-VIP 280 W/0.9 E20.8	80.0 V	Daylight	
P-VIP 300/1.3 P22.5	85.0 V	Daylight	7500 lm
P-VIP 300 W/1.3 E21.8E	85.0 V	Daylight	7500 lm

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.