Product family datasheet

ALLSEASON SUPER / ALLSEASON

Extra visibility under all weather conditions

Extra visibility
Due to yellow coating

Up to 30% more light
For better visibility and significantly shorter reaction times compared to standard halogen lamps

Better sight
Under all weather conditions

Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Technical data

	Electrical Data				Photometric Data
Product description	**Power input**	**Nominal voltage**	**Nominal wattage**	**Test voltage**	**Nominal luminous flux**
ALLSEASON SUPER / ALLSEASON H1	68 W [1]	12 V	55 W	13.2 V	1550 lm
ALLSEASON SUPER / ALLSEASON H4	75 / 68 W [1]	12 V	60/55 W	13.2 V	1650/1000 lm
ALLSEASON SUPER / ALLSEASON H7	58 W [1]	12 V	55 W	13.2 V	1500 lm

		Physical Attributes & Dimensions	Lifetime Data		Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description	**Luminous flux tolerance**	**Diameter**	**Lifespan B3**	**Lifespan Tc**	**ECE category**	**Primary article identifier**
ALLSEASON SUPER / ALLSEASON H1	±15 %	8.5 mm	150 hr	350 hr	H1	4050300504544 | 4008321168733
ALLSEASON SUPER / ALLSEASON H4	±15 / ±15 %	17.0 mm	150 / 150 hr [2]	350 / 350 hr [2]	H4	4050300435978 | 4052899503311 | 4008321168559
ALLSEASON SUPER / ALLSEASON H7	±10 %	12.0 mm	330 hr	550 hr	H7	4052899487239 | 4050300483153 | 4052899503335 | 4008321168757

Product description	**Candidate list substance 1**	**Declaration no. in SCIP database**
ALLSEASON SUPER / ALLSEASON H1	No declarable substances contained	No declarable substances contained
ALLSEASON SUPER / ALLSEASON H4	No declarable substances contained	No declarable substances contained
ALLSEASON SUPER / ALLSEASON H7	No declarable substances contained	No declarable substances contained

[1] Maximum

[2] Filament 1

© 2026, OSRAM GmbH. All rights reserved.

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Certificate overview OSRAM Argentina

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, OSRAM GmbH. All rights reserved.