Product datasheet

SUPER H1

Up to 30% more light

Up to 30% more light
For better visibility and shorter reaction times compared to standard halogen lamps

Enhanced illumination
For extra confidence

Convincing price-performance ratio
For better visibility at a reasonable price

Up to 30% more light on the road

SUPER headlight lamps offer more performance for the most important lamp types. With up to 30% more light compared to standard lamps, signs, obstacles and hazards are more rapidly recognized.

© 2026, OSRAM GmbH. All rights reserved.

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp

General Product Information

Global order reference	64150SUP

Electrical Data

Power input	68 W [1)]
Nominal voltage	12 V
Nominal wattage	55 W
Test voltage	13.2 V

[1)] Maximum

Photometric Data

Nominal luminous flux	1550 lm
Luminous flux tolerance	±15 %
Color temperature	3200 K

Physical Attributes & Dimensions



Diameter	8.5 mm
Product weight	6.30 g
Length	62.5 mm
Lamp base	P14.5s

Lifetime Data

Lifespan B3	150 hr
Lifespan Tc	350 hr

© 2026, OSRAM GmbH. All rights reserved.

Product datasheet

Capabilities

Technology	HAL

Certificates & standards

ECE category	H1

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Primary article identifier	4062172346542 | 4050300479408 | 4050300484648
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300479408	OSRA64150SUP	-	-	-
4050300479408	OSRA64150SUP	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300479408	SUPER H1	Folding carton box 1	25 mm x 23 mm x 70 mm	0.01 dm^3	9.00 g
4050300479422	SUPER H1	Shipping carton box 100	245 mm x 145 mm x 140 mm	4.97 dm^3	955.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Certificate overview OSRAM Argentina

Application advice

© 2026, OSRAM GmbH. All rights reserved.

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, OSRAM GmbH. All rights reserved.