Product datasheet

# ORIGINAL LINE HB5

## Original spare part





### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.


© 2024, OSRAM GmbH. All rights reserved.

Technical data

## Product information

| | |
|---|---|
| **Order reference** | 9007 |
| **Application (Category and Product specific)** | Halogen headlight lamp |

## Electrical data

| | |
|---|---|
| **Power input** | 70 / 60 W [1)] |
| **Nominal voltage** | 12.8 V |
| **Nominal wattage** | 65/55 W |
| **Test voltage** | 12.8 V |

[1)] Maximum

## Photometrical data

| | |
|---|---|
| **Luminous flux** | 1000 lm |
| **Luminous flux tolerance** | ±10 / ±10 % |

## Dimensions & weight

| | |
|---|---|
| **Diameter** | 16.0 mm |
| **Product weight** | 33.70 g |
| **Length** | 95.0 mm |

## Lifespan

| | |
|---|---|
| **Lifespan B3** | 250 h |
| **Lifespan Tc** | 500 h [1)] |

[1)] B50 = average lifespanExplanation:1-filament lamp e. g. 100 2-filament lamp e. g. 100/300

## Additional product data

| | |
|---|---|
| **Base (standard designation)** | PX29t |


© 2024, OSRAM GmbH. All rights reserved.

## Capabilities

| | |
|---|---|
| **Technology** | HAL |

## Certificates & standards

| | |
|---|---|
| **ECE category** | HB5 |

## Country specific categorizations

| | |
|---|---|
| **Order reference** | 9007 |

## Environmental information

| **Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)** | |
|---|---|
| **Date of Declaration** | 02-06-2023 |
| **Primary Article Identifier** | 4050300148816 \| 0046135317958 \| 4062172378215 |
| **Candidate List Substance 1** | No declarable substances contained |
| **Declaration No. in SCIP database** | In work |

## Download Data

| | File |
|---|---|
| | 360 Degree Image<br>ORIGINAL HB5 9007 |

**Application advice**
For more detailed application information and graphics please see product datasheet.

**Disclaimer**
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.




OSRAM


© 2024, OSRAM GmbH. All rights reserved.