OSRAM

ORIGINAL MINIWATT -

Original spare part





The cost-effective original spare parts

ORIGINAL MINIWATT signal lamps for cars are original spare parts with reliable OEM quality from OSRAM. The products impress with their hard-glass technology, a high and constant luminous flux as well as a high color temperature .

Technical data

Product information

Order reference	64115	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data

Power input	22.5 W
Nominal voltage	120 V
Nominal wattage	2000 W
Test voltage	13.5 V
Power input tolerance	±7.5 %

Photometrical data

Luminous flux	450 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Diameter	900 mm
Product weight	233 g
Length	330 mm

Lifespan

Lifespan B3	150 h
Lifespan Tc	500 h

Additional product data

Capabilities

Technology	AUX
------------	-----

Certificates & standards

Country specific categorizations

Order reference	64115

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration 05-03-2024			
Primary Article Identifier	4050300883120 4008321095077		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321095077	OSRA64115	-	4739542	-
4008321095084	OSRA64115	-	4739542	-
4008321095077	OSRA64115	-	4739542	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095077	ORIGINAL MINIWATT 64115	Unpacked 1	9 mm x 9 mm x 33 mm	0.00 dm ³	2.00 g
4008321095084	ORIGINAL MINIWATT 64115	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	36.00 g
4008321095091	ORIGINAL MINIWATT 64115	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	232.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













