

# ORIGINAL - PLASTIC MF BASE -

Original spare part



## The cost-effective original spare parts

Discover our ORIGINAL signal lamps for printed circuit boards. These lamps with OSRAM's reliable OEM quality feature a wide product range and can be used for instrument and switch lighting.

Technical data

Product information

Order reference	2752MFX
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	1.8 W
Nominal voltage	12.0 V
Nominal wattage	1.50 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	6.0 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	5 mm
Product weight	1.20 g
Length	23.5 mm

Colors & materials

Base color	Melon yellow
------------	--------------

Lifespan

Lifespan B3	1000 h
Lifespan Tc	6500 h

Product datasheet

Additional product data

Base (standard designation)	BX8.5d
-----------------------------	--------

Capabilities

Thickness of PCB	1.25 mm
Technology	AUX

Certificates & standards

ECE category	-
Approval marks – approval	-

Country specific categorizations

Order reference	2752MFX
-----------------	---------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321019103   4008321298782
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321298782	OSRA2752MFX	-	-	-
4008321298799	OSRA2752MFX	-	-	-
4008321298782	OSRA2752MFX	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321298782	ORIGINAL - PLASTIC MF BASE 2752MFX	Unpacked 1	- x - x -		
4008321298799	ORIGINAL - PLASTIC MF BASE 2752MFX	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm <sup>3</sup>	23.00 g
4008321298805	ORIGINAL - PLASTIC MF BASE 2752MFX	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	144.50 g

# Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Application advice

For more detailed application information and graphics please see product datasheet.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



**OSRAM**