## **OSRAM**

# Lamps with glass wedge bases WY16W

## Original spare part





#### The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

#### Technical data

## **Product information**

| Order reference                             | 921NA          |
|---------------------------------------------|----------------|
| Application (Category and Product specific) | Auxiliary lamp |


#### **Electrical data**

| Power input           | 19.4 W  |
|-----------------------|---------|
| Nominal voltage       | 12.8 V  |
| Nominal wattage       | 16.00 W |
| Test voltage          | 13.5 V  |
| Power input tolerance | ±10 %   |

## Photometrical data

| Luminous flux           | 190 lm |
|-------------------------|--------|
| Luminous flux tolerance | ±20 %  |

## **Dimensions & weight**



| Diameter       | 16.0 mm |
|----------------|---------|
| Product weight | 2.20 g  |
| Length         | 38.1 mm |

## Lifespan

| Lifespan B3 | 400 h  |
|-------------|--------|
| Lifespan Tc | 1000 h |

## Additional product data

| Base (standard designation) | W2.1x9.5d |
|-----------------------------|-----------|
|-----------------------------|-----------|

#### **Capabilities**

| Technology | AUX |
|------------|-----|
|------------|-----|

#### Certificates & standards

| ECE category                            | WY16W |
|-----------------------------------------|-------|
| - · · · · · · · · · · · · · · · · · · · |       |

## **Country specific categorizations**

| Order reference | 921NA |
|-----------------|-------|
|-----------------|-------|

#### **Environmental information**

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) |                                                                  |  |  |  |
|-----------------------------------------------------------------------|------------------------------------------------------------------|--|--|--|
| Date of Declaration                                                   | <b>Declaration</b> 06-03-2024                                    |  |  |  |
| Primary Article Identifier                                            | 4052899230460   4052899581500   4062172080286<br>  4062172080262 |  |  |  |
| Candidate List Substance 1                                            | No declarable substances contained                               |  |  |  |
| Declaration No. in SCIP database                                      | In work                                                          |  |  |  |

#### Logistical Data

| Product code  | Product description            | Packaging unit<br>(Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|--------------------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4052899230460 | ORIGINAL - WEDGE<br>BASE WY16W | Unpacked<br>1                   | - x - x -                            |                      | 2.00 g       |
| 4052899230477 | ORIGINAL - WEDGE<br>BASE WY16W | Folding carton box<br>10        | 54 mm x 40 mm x<br>138 mm            | 0.30 dm <sup>3</sup> | 35.00 g      |
| 4052899230484 | ORIGINAL - WEDGE<br>BASE WY16W | Shipping carton box 50          | 205 mm x 144 mm x<br>64 mm           | 1.89 dm³             | 238.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













## **OSRAM**