Product datasheet

TRUCKSTAR PRO H7

Brightest OSRAM truck halogen light



Up to 2.5 times longer lifetime
Reduced downtime and fleet costs compared to standard lamps

Up to 120% more brightness
More light allows to see farther and therefore react sooner compared to the minimum legal standard

Very high vibration resistance
Suitable for heavy duty applications



The most powerful halogen and signal truck lamps from OSRAM

Discover TRUCKSTAR PRO - the brightest halogen and signal truck lamps from OSRAM with excellent value for money. With extremely long life, up to 120% more light than standard lamps and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and up to 2.5 times longer lifetime compared to standard lamps, the lamps improve your safety while driving on the road.

© 2024, OSRAM GmbH. All rights reserved.

Technical data

Product information

Order reference	64215TSP
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	75 W [1)]
Nominal voltage	24.0 V
Nominal wattage	70.00 W
Test voltage	28.0 V

[1)] Maximum

Photometrical data

Luminous flux	1750 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Length	59.0 mm
Diameter	12.0 mm
Product weight	12.50 g

Lifespan

Lifespan B3	500 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	PX26d

© 2024, OSRAM GmbH. All rights reserved.

Product datasheet

Capabilities

Technology	HAL

Certificates & standards

ECE category	H7

Country specific categorizations

Order reference	64215TSP

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Date of Declaration	06-03-2024
Primary Article Identifier	4008321785091 | 4008321785114 | 4008321855954 | 4008321855978 | 4008321855930 | 4052899413818 | 4052899414013 | 4052899413917 | 4052899476042 | 4062172150521 | 4062172150453 | 4062172387637
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321785114	TRUCKSTAR PRO H7	Folding carton box 1	34 mm x 34 mm x 58 mm	0.07 dm³	16.00 g
4008321785121	TRUCKSTAR PRO H7	Bundle 10	69 mm x 58 mm x 172 mm	0.69 dm³	155.00 g
4008321785138	TRUCKSTAR PRO H7	Shipping carton box 100	356 mm x 129 mm x 186 mm	8.54 dm³	1727.00 g
4052899476042	TRUCKSTAR PRO H7	Hard Cover Box 2	- x - x -		122.00 g
4062172060295	TRUCKSTAR PRO H7	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm³	670.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File

© 2024, OSRAM GmbH. All rights reserved.

	360 Degree Image TRUCKSTAR PRO H7 64215TSP

Legal advice
Light output compared to the minimum ECE R112 requirements

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM

© 2024, OSRAM GmbH. All rights reserved.