OSRAM

ORIGINAL LINE H1

OEM quality for trucks





The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Order reference	64155	
Application (Category and Product specific)	Halogen headlight lamp	

Electrical data


Power input	84 W ¹⁾
Nominal voltage	24.0 V
Nominal wattage	70.00 W
Test voltage	28.0 V

¹⁾ Maximum

Photometrical data

Luminous flux	1900 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Length	67.5 mm
Diameter	8.5 mm
Product weight	6.30 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	650 h

Additional product data

Base (standard designation)	P14.5s
-----------------------------	--------

Capabilities

Technology	HAL
------------	-----

Certificates & standards

Country specific categorizations

Order reference	64155

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of Declaration	05-03-2024	
Primary Article Identifier	4050300925844 4050300880051 4050300016498 4050300362861 4008321371515 4008321393333 4008321393371 4008321675521 4052899412101 4062172130837 4062172159371 4062172216517 4062172232296 4062172285094	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300925844	ORIGINAL LINE H1	Blister 1	135 mm x 95 mm x 23 mm	0.29 dm ³	18.00 g
4008321142290	ORIGINAL LINE H1	Shipping carton box 10	225 mm x 105 mm x 145 mm	3.43 dm ³	248.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
360 Degree Image ORIGINAL TRUCK H1 64155

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















