# **OSRAM**

# **SUPER RALLYE**



Up to +50% more light for better visibility

Compare with standard lamps



Up to 50% more light than standard lamps. OSRAM offers a bright and clear visual effect for drivers, make them fell more reliable.

## Product family datasheet

### Technical data

|                     | Product information                         |   | General Product<br>Information | Electrical Data     |                 |
|---------------------|---|---|--------------------------------|---------------------|-----------------|
| Product description | Application (Category and Product specific) | Product<br>type (off-<br>road vs.<br>on-road) | Global order<br>reference      | Power<br>input      | Nominal voltage |
| SUPER RALLYE ≜ H1   | Halogen headlight<br>lamp                   | Off-road ≙<br>H1                              | 62241                          | 100 W <sup>1)</sup> | 24 V            |

|                     |                 |                 | Photometric Data         |                               | Physical Attributes & Dimensions |
|---------------------|-----------------|-----------------|--------------------------|-------------------------------|----------------------------------|
| Product description | Nominal wattage | Test<br>voltage | Nominal luminous<br>flux | Luminous<br>flux<br>tolerance | Lamp base                        |
| SUPER RALLYE ≙ H1   | 100 W           | 28.0 V          | 2600 lm                  | ±15 %                         | P14.5s                           |

|                     |         |          |          | Lifetime Data              |
|---------------------|---------|----------|----------|----------------------------|
| Product description | Length  | Diameter | Diameter | Lifespan Lifespan<br>B3 Tc |
| SUPER RALLYE ≙ H1   | 62.5 mm | 8.5 mm   | 8.5 mm   | 50 hr 200 hr               |

|                     | Capabilities | Certificates<br>&<br>standards | Environmental & Regulatory Information<br>Information according Art. 33 of EU<br>Regulation (EC) 1907/2006 (REACh) |                                     |
|---------------------|--------------|--------------------------------|--|-------------------------------------|
| Product description | Technology   | ECE<br>category                | Primary article identifier   | Declaration no. in<br>SCIP database |
| SUPER RALLYE ≙ H1   | HAL          |                                | 4062172130875  <br>4052899523906  <br>4008321675552  | In work                             |

<sup>1)</sup> Maximum

## Product family datasheet

### Download Data

File



User instruction
GPRS\_Safety symbols instructions

## **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















