

ORIGINAL - METAL BASE

Original spare part



The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.



Product family datasheet

Technical data

	Product information	General Product Information	Electrical Data		
Product description	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ORIGINAL - METAL BASE 3797	Auxiliary lamp	3797	3 W	24 V	2 W
ORIGINAL - METAL BASE H21W	Auxiliary lamp	64138	28 W	24 V	21 W
ORIGINAL - METAL BASE P21/5W	Auxiliary lamp	7537	28 / 10 W	24 V	21/5 W
ORIGINAL - METAL BASE R10W	Auxiliary lamp	5637	12.5 W	24 V	10 W
ORIGINAL - METAL BASE P21W	Auxiliary lamp	7511	28 W	24 V	21 W
ORIGINAL - METAL BASE R5W	Auxiliary lamp	5626	7 W	24 V	5 W
ORIGINAL - METAL BASE R5W	Auxiliary lamp	5627	7 W	24 V	5 W
ORIGINAL - METAL BASE T4W	Auxiliary lamp	3930	5 W	24 V	4 W
ORIGINAL - METAL BASE 7529	Auxiliary lamp	7529	15 W	24 V	15 W

			Photometric Data		Physical Attributes & Dimensions
Product description	Power input tolerance	Test voltage	Nominal luminous flux	Luminous flux tolerance	Lamp base
ORIGINAL - METAL BASE 3797	±15 %	28.0 V	17.5 lm	±30 %	BA9s
ORIGINAL - METAL BASE H21W	±5 %	28.0 V	600 lm	±15 %	BAY9s
ORIGINAL - METAL BASE P21/5W	±6 / ±10 %	28.0 V	440/40 lm	±15 / ±20 %	BAY15d
ORIGINAL - METAL BASE R10W	±10 %	28.0 V	125 lm	±20 %	BA15s
ORIGINAL - METAL BASE P21W	±6 %	28.0 V	460 lm	±15 %	BA15s
ORIGINAL - METAL BASE R5W	±10 %	28.0 V	50 lm	±25 %	BA15d
ORIGINAL - METAL BASE R5W	±10 %	28.0 V	50 lm	±20 %	BA15s
ORIGINAL - METAL BASE T4W	±10 %	28.0 V	35 lm	±20 %	BA9s
ORIGINAL - METAL BASE 7529	±10 %	28.0 V	210 lm	±25 %	BA15s

				Lifetime Data	
Product description	Length	Diameter	Diameter	Lifespan B3	Lifespan Tc
ORIGINAL - METAL BASE 3797	23.9 mm	9 mm	9 mm	1000 hr	2000 hr
ORIGINAL - METAL BASE H21W	38.9 mm	9 mm	9 mm	150 hr	400 hr
ORIGINAL - METAL BASE P21/5W	52.5 mm	27.0 mm	27.0 mm	65 / 600 hr	600 / 1600 hr
ORIGINAL - METAL BASE R10W	36.0 mm	16.0 mm	16.0 mm	400 hr	800 hr
ORIGINAL - METAL BASE P21W	49.5 mm	26.5 mm	26.5 mm	200 hr	400 hr
ORIGINAL - METAL BASE R5W	37.5 mm	16.0 mm	16.0 mm	80 hr	250 hr
ORIGINAL - METAL BASE R5W	37.5 mm	16.0 mm	16.0 mm	500 hr	1000 hr
ORIGINAL - METAL BASE T4W	27.4 mm	8.8 mm	8.8 mm	550 hr	1000 hr
ORIGINAL - METAL BASE 7529	46.5 mm	25.0 mm	25.0 mm	100 hr	300 hr

Product family datasheet

	Capabilities	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Product description	Technology	ECE category	Primary article identifier	Candidate list substance 1
ORIGINAL - METAL BASE 3797	AUX	-	4050300891668	No declarable substances contained
ORIGINAL - METAL BASE H21W	AUX	H21W	4050300883366 4062172262361 4062172262392 4008321094988 4008321769640	No declarable substances contained
ORIGINAL - METAL BASE P21/5W	AUX	P21/5W	4050300925943 4052899402232 4052899423671 4050300838038 4062172375047 4062172121354 4062172375078	No declarable substances contained
ORIGINAL - METAL BASE R10W	AUX	R10W	4050300992907 4050300926049 4050300831459 4008321773470 4062172375122	No declarable substances contained
ORIGINAL - METAL BASE P21W	AUX	P21W	4062172374996 4062172285391 4062172408585 4052899327696 4050300925929 4050300838090 4062172072380 4062172302999 4062172375023 4062172285414 4062172226561 4008321773722 4008321618801 4062172408608 4052899583740 4052899178427	No declarable substances contained
ORIGINAL - METAL BASE R5W	AUX	R5W	4008321095336	No declarable substances contained
ORIGINAL - METAL BASE R5W	AUX	R5W	4052899418882 4050300925967 4050300991405 4050300838335	No declarable substances contained
ORIGINAL - METAL BASE T4W	AUX	T4W	4050300880273 4050300838366 4050300926001	No declarable substances contained
ORIGINAL - METAL BASE 7529	AUX	-	4008321671851 4050300891774	No declarable substances contained

Product family datasheet

Product description	Declaration no. in SCIP database
ORIGINAL - METAL BASE 3797	No declarable substances contained
ORIGINAL - METAL BASE H21W	No declarable substances contained
ORIGINAL - METAL BASE P21/5W	No declarable substances contained
ORIGINAL - METAL BASE R10W	No declarable substances contained
ORIGINAL - METAL BASE P21W	No declarable substances contained
ORIGINAL - METAL BASE R5W	No declarable substances contained
ORIGINAL - METAL BASE R5W	No declarable substances contained
ORIGINAL - METAL BASE T4W	No declarable substances contained
ORIGINAL - METAL BASE 7529	No declarable substances contained

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

