# **OSRAM**

# **ORIGINAL MINIXEN**

### Original spare part





#### The cost-effective original spare parts

ORIGINAL MINIXEN signal lamps for cars can be used for interior lighting as well as reading lights. Discover these original spare parts from OSRAM with reliable OEM quality and a wide product range.

## Product family datasheet

#### Technical data

	Product information	General Product Information	Electrical Data		
Product description	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ORIGINAL MINIXEN 2886X	Auxiliary lamp	2886X	6 W	12 V	6 W
ORIGINAL MINIXEN 3886X	Auxiliary lamp	3886X	6 W	12 V	6 W

			Photometric Data	Physical Attributes & Dimensions	
Product description	Power input tolerance	Test voltage	Nominal luminous flux	Lamp base	Length
ORIGINAL MINIXEN 2886X	±10 %	13.5 V	85 lm	W2.1x9.5d	26.8 mm
ORIGINAL MINIXEN 3886X	±10 %	13.5 V	80 lm	BA9s	27.4 mm

			Lifetime Data		Capabilities	
Product description	Diameter	Diameter	Lifespan B3	Lifespan Tc	Technology	
ORIGINAL MINIXEN 2886X	10.0 mm	10.0 mm	400 hr	1000 hr	AUX	
ORIGINAL MINIXEN 3886X	9 mm	9 mm	400 hr	1000 hr	AUX	

	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Product description	ECE category	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL MINIXEN 2886X	-	4050300888668   4052899560604   4008321094667	No declarable substances contained	No declarable substances contained
ORIGINAL MINIXEN 3886X	-	4050300885896   4008321095787	No declarable substances contained	No declarable substances contained

### Product family datasheet

#### Download Data

File



User instruction
GPRS\_Safety symbols instructions

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













