

# ORIGINAL - PLASTIC MF BASE -

Original spare part



## The cost-effective original spare parts for motorcycles

With the ORIGINAL signal lamps for printed circuit boards, OSRAM offers a wide product range of original spare parts for motorcycles. These lamps provide OSRAM's reliable OEM quality and can be used for instrument and switch lighting.

Technical data

Product information

Order reference	2351MFX6
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	1.32 W
Nominal voltage	12.0 V
Nominal wattage	1.20 W
Power input tolerance	±10 %
Test voltage	13.5 V

Photometrical data

Luminous flux	7.5 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	17.5 mm
Diameter	5 mm
Product weight	0.77 g

Colors & materials

Base color	Jet black
------------	-----------

Lifespan

Lifespan B3	600 h
Lifespan Tc	3000 h

Product datasheet

Additional product data

Base (standard designation)	BX8.4d
-----------------------------	--------

Capabilities

Thickness of PCB	1.25 mm
Technology	AUX

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	2351MFX6
-----------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321011756   4008321096852   4062172046916
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172046916	ORIGINAL - PLASTIC MF BASE 2351MFX6	Unpacked 1	- x - x -		
4062172046923	ORIGINAL - PLASTIC MF BASE 2351MFX6	Folding carton box 10	- x - x -		
4062172046930	ORIGINAL - PLASTIC MF BASE 2351MFX6	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	123.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM