OSRAM

ORIGINAL - GLASS WEDGE BASE W21W

Original spare part





The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

Technical data

Product information

Order reference	7505	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data

Power input	25 W
Nominal voltage	120 V
Nominal wattage	2100 W
Power input tolerance	±6 %
Test voltage	13.5 V

Photometrical data

Luminous flux	460 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Length	475 mm
Diameter	2000 mm
Product weight	680 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	600 h

Additional product data

Base (standard designation)	W3x16d
-----------------------------	--------

Capabilities

Certificates & standards

ECE category	W21W
--------------	------

Country specific categorizations

Order reference	7505
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	05-03-2024		
Primary Article Identifier	4008321019646 4052899324244 4052899324565 4052899417878 4062172345392 4062172396288 4062172396264		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899324244	ORIGINAL - WEDGE BASE W21W	Unpacked 1	- x - x -		
4052899324251	ORIGINAL - WEDGE BASE W21W	Folding carton box 10	- x - x -		
4052899324268	ORIGINAL - WEDGE BASE W21W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	567.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













OSRAM