OSRAM

ORIGINAL - GLASS WEDGE BASE W2,3W

Original spare part





The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

Technical data

Product information

Order reference	2723
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	2.3 W
Nominal voltage	12.0 V
Nominal wattage	2.00 W
Power input tolerance	±8 %
Test voltage	13.5 V

Photometrical data

Luminous flux	18.6 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	20.0 mm
Diameter	5 mm
Product weight	0.40 g

Lifespan

Lifespan B3	350 h
Lifespan Tc	1200 h

Additional product data

Capabilities

Technology	AUX
------------	-----

Certificates & standards

Country specific categorizations

Order reference	2723

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	05-03-2024		
Primary Article Identifier	4008321012968 4008321094834		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094834	OSRA2723	-	-	-
4008321094841	OSRA2723	-	-	-
4008321094834	OSRA2723	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094834	ORIGINAL - WEDGE BASE W2,3W	Unpacked 1	- x - x -		
4008321094841	ORIGINAL - WEDGE BASE W2,3W	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	15.00 g
4008321094858	ORIGINAL - WEDGE BASE W2,3W	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	104.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













