

OPTOTRONIC Cable Clamp



Product family features

- Easy to install and flexible cable clamps
- Separate cable clamps for primary and secondary side
- Pre-fixed, captive screws
- Through-looping (TL version)

Product family benefits

- Simple and quick cable mounting
- Sufficient space for cable connection
- Cost-effective and space-saving solution (TL version)
- Free cable connection thanks to open flaps
- Immediate installation thanks to pre-assembled cable clamps

Areas of application

- Downlights, flat luminaires
- Suitable for different cable types
- Suitable for indoor installations


Product family datasheet

Technical data


Product description	Dimensions & weight				Logistical data
	Height	Width	Product weight	Length	Commodity code
OT CABLE CLAMP N-STYLE	230 mm	330 mm	2000 g	370 mm	392690979000
OT CABLE CLAMP A-STYLE	250 mm	650 mm	2900 g	350 mm	39269097900
OT CABLE CLAMP B-STYLE	295 mm	577 mm	2600 g	492 mm	39269097900
OT CABLE CLAMP D-STYLE	295 mm	330 mm	1450 g	385 mm	39269097900
OT CABLE CLAMP E-STYLE	250 mm	530 mm	1600 g	380 mm	39269097900
OT CABLE CLAMP F-STYLE	300 mm	530 mm	1600 g	380 mm	39269097900
OT CABLE CLAMP A-STYLE TL	250 mm	920 mm	8000 g	900 mm	85369010000
OT CABLE CLAMP B-STYLE TL	295 mm	920 mm	8000 g	900 mm	85369010000

Product description	Environmental information			
	Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
Product description	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
OT CABLE CLAMP N-STYLE	12-02-2022	4062172046732 4052899598461	No declarable substances contained	In work
OT CABLE CLAMP A-STYLE	13-02-2022	4052899089570 4050732499425	No declarable substances contained	No declarable substances contained
OT CABLE CLAMP B-STYLE	13-02-2022	4052899077881	No declarable substances contained	No declarable substances contained
OT CABLE CLAMP D-STYLE	30-11-2022	4052899077904 4062172345507	No declarable substances contained	In work
OT CABLE CLAMP E-STYLE	13-02-2022	4052899167896	No declarable substances contained	No declarable substances contained
OT CABLE CLAMP F-STYLE	12-02-2022	4052899325555	No declarable substances contained	No declarable substances contained
OT CABLE CLAMP A-STYLE TL	12-02-2022	4052899325982	No declarable substances contained	No declarable substances contained
OT CABLE CLAMP B-STYLE TL	12-02-2022	4052899948051	No declarable substances contained	No declarable substances contained


Product family datasheet




OT Cable clamp N-style




554789_OT CABLE CLAMP A-STYLE




554796_OT CABLE CLAMP A-STYLE




554790_OT CABLE CLAMP B-STYLE




554797_OT CABLE CLAMP B-STYLE




616419_OT CABLE CLAMP B-STYLE




590902_OT CABLE CLAMP D-STYLE




590906_OT CABLE CLAMP D-STYLE




554791_OT CABLE CLAMP E-STYLE



554798_OT CABLE CLAMP E-STYLE




611986_OT CABLE CLAMP A-STYLE TL



611988_OT CABLE CLAMP A-STYLE TL

Product family datasheet



596667_OT Cable Clamp B-Style TL

Application advice

For more detailed application information and graphics please see product datasheet.

Sales and Technical Support

Sales and Technical Support www.osram.com

Download Data

File	
	User instruction CABLE CLAMP N-STYLE
	CAD data OT Cable Clamp N Style IGS 61119
	CAD data 3-dim OT Cable Clamp N Style STEP 61119
	CAD data PDF OT Cable Clamp N Style CADPDF 61119
	CAD data CAD data IGS OT Cable Clamp A-Style
	CAD data CAD data STEP OT Cable Clamp A-Style
	CAD data PDF CAD data PDF OT Cable Clamp A-Style
	CAD data CAD data IGS OT Cable Clamp B-Style
	CAD data CAD data STEP OT Cable Clamp B-Style

Product family datasheet

	CAD data PDF CAD data PDF OT Cable Clamp B-Style
	CAD data CAD Data D-Style-Cable Clamp
	CAD data CAD Data D-Style-CableClamp STEP
	CAD data PDF CAD Data D-Style-CableClamp PDF
	CAD data CAD data IGS OT Cable Clamp E-Style
	CAD data CAD data STEP OT Cable Clamp E-Style
	CAD data PDF CAD data PDF OT Cable Clamp E-Style
	CAD data 673587_OT Cable Clamp F Style IGS 61119
	CAD data 673588_OT Cable Clamp F Style STEP 61119
	CAD data PDF 673589_OT Cable Clamp F Style CADPDF 61119
	User instruction OT CABLE CLAMP A STYLE TL
	CAD data CAD data IGS OT Cable Clamp A-Style TL
	CAD data CAD data STEP OT Cable Clamp A-Style TL
	CAD data PDF CAD data PDF OT Cable Clamp A-Style TL
	User instruction OT CABLE CLAMP B STYLE TL
	Addon Technical Information 592682_Cable Clamp B-Sytle Driver Assembly
	Installation/Operation notice 547465_OT Cable Clamp TL-B Instructions sheet
	CAD data CAD data IGS OT Cable Clamp B-Style TL
	CAD data CAD data STEP OT Cable Clamp B-Style TL
	CAD data 3-dim 592683_Cable Clamp B-Sytle STEP
	CAD data 3-dim 592684_Cable Clamp B-Sytle IGS
	CAD data PDF CAD data PDF OT Cable Clamp B-Style TL

Product family datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172046732	OT CABLE CLAMP N-STYLE	Shipping carton box 100	380 mm x 297 mm x 208 mm	23.47 dm ³	2571.00 g
4052899089570	OT CABLE CLAMP A-STYLE	Shipping carton box 20	336 mm x 110 mm x 68 mm	2.51 dm ³	672.00 g
4052899077881	OT CABLE CLAMP B-STYLE	Shipping carton box 20	300 mm x 107 mm x 76 mm	2.44 dm ³	605.00 g
4052899077904	OT CABLE CLAMP D-STYLE	Shipping carton box 40	178 mm x 84 mm x 141 mm	2.11 dm ³	652.00 g
4052899167896	OT CABLE CLAMP E-STYLE	Shipping carton box 20	278 mm x 87 mm x 70 mm	1.69 dm ³	383.00 g
4052899325555	OT CABLE CLAMP F-STYLE	Shipping carton box 20	278 mm x 87 mm x 70 mm	1.69 dm ³	383.00 g
4052899325982	OT CABLE CLAMP A-STYLE TL	Shipping carton box 20	470 mm x 188 mm x 68 mm	6.01 dm ³	1788.00 g
4052899948051	OT CABLE CLAMP B-STYLE TL	Shipping carton box 20	470 mm x 188 mm x 68 mm	6.01 dm ³	1788.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.