

PURITEC HNS Compact L Lamps



Areas of application

- Air & Water Purification
- Surface Disinfection


Product features and benefits

- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free



June 16, 2025, 05:06:37 PURITEC HNS Compact L Lamps

Product family datasheet



HNS L 18W 2G11

HNS L

Product family datasheet

Technical data

| | Electrical Data | | Physical Attributes & Dimensions | Lifetime Data |
|---------------------|-----------------|-----------------|-------------------------------------|------------------|
| Product description | Nominal wattage | Nominal voltage | Lamp base | Nominal lifetime |
| HNS L 18 W 2G11 | 18 W | 58 V | 2G11 | 9000 hr |
| HNS L 24 W 2G11 | 24 W | 87 V | 2G11 | 9000 hr |
| HNS L 36 W 2G11 | 36 W | 106 V | 2G11 | 9000 hr |
| HNS L 55 W 2G11 | 55 W | 101 V | 2G11 | 9000 hr |
| HNS L 60 W 2G11 | 60 W | 82 V | 2G11 | 9000 hr |
| HNS L 95 W 2G11 | 95 W | 115 V | 2G11 | 9000 hr |

Product family datasheet

Safety advice

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.