

# XENARC ULTRA LIFE

Superior life and 10 year guarantee



**10 year OSRAM guarantee**

For a worry-free driving pleasure.  
Register online: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)



**Extra lifetime**

Up to four times longer lifetime  
compared to standard xenon lamps



**More durability**

For longer replacement cycles and  
additional reliability and comfort



**The durable light with up to four times longer lifetime**

XENARC ULTRA LIFE xenon lamps were developed with durability in mind. These long-life headlight lamps make life just that little bit more hassle-free, thanks to a lifetime up to four times longer compared to standard xenon lamps. Besides, these reliable lights impress with a service life up to 300,000 km (with an average annual mileage of 14,259 km and 60% light on)! For XENARC ULTRA LIFE lamps, OSRAM provides a unique 10 year guarantee for end consumers with online registration ([www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)). Thus, you not only save money on costly replacements, but also save yourself future stress and downtime. Please note: XENARC lamp change is recommended to be carried out by a professional.

## Product family datasheet

### Technical data

Product description	Electrical data				Photometrical data		Dimensions & weight
	Power input	Nominal voltage	Nominal wattage	Test voltage	Luminous flux	Luminous flux tolerance	Diameter
XENARC ULTRA LIFE D1S <sup>1)</sup>	35 W	85.0 V	35.00 W	13.5 V	3200 lm	±15 %	9 mm
XENARC ULTRA LIFE D2S <sup>1)</sup>	35 W	85.0 V	35.00 W	13.5 V	3200 lm	±15 %	9 mm
XENARC ULTRA LIFE D3S <sup>1)</sup>	35 W	42.0 V	35.00 W	13.5 V	3200 lm	±15 %	9 mm
XENARC ULTRA LIFE D4S <sup>1)</sup>	35 W	42.0 V	35.00 W	13.5 V	3200 lm	±15 %	9 mm






Product description	Additional product data	Capabilities	Certificates & standards
	Base (standard designation)	Technology	ECE category
XENARC ULTRA LIFE D1S <sup>1)</sup>	PK32d-2	HID	D1S <sup>2)</sup>
XENARC ULTRA LIFE D2S <sup>1)</sup>	P32d-2	HID	D2S <sup>2)</sup>
XENARC ULTRA LIFE D3S <sup>1)</sup>	PK32d-5	HID	D3S <sup>2)</sup>
XENARC ULTRA LIFE D4S <sup>1)</sup>	P32d-5	HID	D4S <sup>2)</sup>

<sup>1)</sup> Reduced UV emission/For projection headlights/ECE approval and DOT label

<sup>2)</sup> To be operated only with approved electronic control gear

## Product family datasheet

### Download Data

File	
	Brochures 724901_ULTRA LIFE Leaflet EN
	360 Degree Image XENARC ULTRA LIFE D1S 66140ULT
	360 Degree Image XENARC ULTRA LIFE D2S 66240ULT
	360 Degree Image XENARC ULTRA LIFE D3S 66340ULT
	360 Degree Image XENARC ULTRA LIFE D4S 66440ULT

#### Safety advice

XENARC lamp change is recommended to be carried out by a professional.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

