

XENARC ULTRA LIFE

Superior life and 10 year guarantee



10 year OSRAM guarantee

For a worry-free driving pleasure.
Register online: www.osram.com/am-guarantee



Extra lifetime

Up to four times longer lifetime
compared to standard xenon lamps



More durability

For longer replacement cycles and
additional reliability and comfort



The durable light with up to four times longer lifetime

XENARC ULTRA LIFE xenon lamps for motorcycles were developed with durability in mind. These long-life headlight lamps make life just that little bit more hassle-free, thanks to a lifetime up to four times longer compared to standard xenon lamps. Besides, these reliable lights impress with a service life up to 300,000 km (with an average annual mileage of 14,259 km and 60% light on)! For XENARC ULTRA LIFE lamps, OSRAM provides a unique 10 year guarantee for end consumers with online registration (www.osram.com/am-guarantee). Thus, you not only save money on costly replacements, but also save yourself future stress and downtime. Please note: XENARC lamp change is recommended to be carried out by a professional.

Product family datasheet

Technical data

Product description	Electrical data					Photometrical data	Dimensions & weight
	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Luminous flux	Length
XENARC ULTRA LIFE D1S ¹⁾	35 W	85.0 V	35.00 W	±3 %	13.5 V	3200 lm	80.0 mm
XENARC ULTRA LIFE D2S ¹⁾	35 W	85.0 V	35.00 W	±3 %	13.5 V	3200 lm	77.0 mm
XENARC ULTRA LIFE D3S ¹⁾	35 W	42.0 V	35.00 W	±3 %	13.5 V	3200 lm	80.0 mm
XENARC ULTRA LIFE D4S ¹⁾	35 W	42.0 V	35.00 W	±3 %	13.5 V	3200 lm	75.0 mm






Product description	Diameter	Additional product data	Capabilities	Certificates & standards
		Base (standard designation)	Technology	ECE category
XENARC ULTRA LIFE D1S ¹⁾	9 mm	PK32d-2	HID	D1S ²⁾
XENARC ULTRA LIFE D2S ¹⁾	9 mm	P32d-2	HID	D2S ²⁾
XENARC ULTRA LIFE D3S ¹⁾	9 mm	PK32d-5	HID	D3S ²⁾
XENARC ULTRA LIFE D4S ¹⁾	9 mm	P32d-5	HID	D4S ²⁾

¹⁾ Reduced UV emission/For projection headlights/ECE approval and DOT label

²⁾ To be operated only with approved electronic control gear

Product family datasheet

Download Data

File	
	Brochures 724901_ULTRA LIFE Leaflet EN
	360 Degree Image XENARC ULTRA LIFE D1S 66140ULT
	360 Degree Image XENARC ULTRA LIFE D2S 66240ULT
	360 Degree Image XENARC ULTRA LIFE D3S 66340ULT
	360 Degree Image XENARC ULTRA LIFE D4S 66440ULT

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

