

VF1000 G4-965-05

VALUE Flex G4 | Linear LED modules for flexible and individualized lighting solutions



Product family features

- Available in warm white and neutral white
- 3 SDCM, CRI90
- Non-IP and IP66 version available
- 120° viewing angle per module
- Dimmable with PWM technology
- Up to 50,000 hrs lifetime @ tc max

Product family benefits

- Energy saving low-power flexible LED strip
- Easy installation with track system
- Multi cut-able with CONNECT system

Areas of application

- Hospitality
- Cabinet lighting
- Signage
- Architecture lighting
- Wall integration



Product datasheet

Technical data


Electrical data

| | |
|---|-----------|
| Nominal voltage | 24.0 V |
| Type of current | DC |
| Rated wattage | 50.00 W |
| Input voltage range | 23...25 V |
| Accidental reverse input voltage protection up to | 25 V |

Photometrical data

| | |
|---------------------------|----------|
| Light color LED | White |
| Color rendering index Ra | >90 |
| Luminous efficacy | 100 lm/W |
| Light color (designation) | White |

Dimensions & weight



| | |
|----------------|---------|
| Length | 5000 mm |
| Product weight | 80.00 g |
| Width | 8.00 mm |
| Height | 1.20 mm |

Temperatures & operating conditions

| | |
|------------------------------|-------------|
| Temperature range at storage | -25...70 °C |
|------------------------------|-------------|

Certificates & standards

| | |
|-----------|--|
| Standards | Acc. to EN62471/EN62778/Acc. to IEC60838/CE/RoHS/Reach |
|-----------|--|

Logistical data


Product datasheet

| | |
|----------------|--------------|
| Commodity code | 888888888888 |
|----------------|--------------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---------------|
| Date of Declaration | 19-01-2022 |
| Primary Article Identifier | 4062172152884 |
| Declaration No. in SCIP database | In work |

Download Data

| File |
|--|
|  IES data VF1000-G4-965-05 |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4062172152884 | VF1000 G4-965-05 | Shipping carton box 20 | 465 mm x 275 mm x 208 mm | 26.60 dm ³ | 2660.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.