OSRAM

LEDriving SL W5W WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Cool White



Replaces conventional W5W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for W5W

LEDriving SL W5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Electrical Data			Photometric Data	
Product description	Power input	Nominal voltage	Nominal wattage	Test voltage	Nominal luminous flux
LEDriving SL	1.12 W	12 V	1 W	13.5 V	70 lm

		Physical Attributes & Dimensions		Lifetime [Lifetime Data	
Product description	Luminous flux tolerance	Diameter	Diameter	Lifespan B3	Lifespan Tc	
LEDriving SL	±25 %	10.0 mm	10.0 mm	1500 hr	4000 hr	

	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Product description	Primary article identifier	Candidate list substance 1	CAS No. of substance 1	Safe use instruction
LEDriving SL ≜ W5W	4062172408295 4062172348638 4062172352055 4052899620810 4062172401258	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the

Product description	Declaration no. in SCIP database
LEDriving SL ≙ W5W	6f026af0-500d-4f2d-
	bd6a-1166bb294d48
	64465242-4712-
	4f51-8663-
	313005785df0
	34b9f3a2-0f08-481c-
	8c6e-9e87347ba1cf
	87230ce2-265b-
	4740-ae73-
	4ad692d83c04
	d493a7ba-1e50-4adf-
	97d4-fe52b1e7a9c4

article.

Product family datasheet

Download Data

File



User instruction

GPRS_Safety symbols instructions



Brochures

LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.