## Product family datasheet

# **OSRAM**

## **BATTERYstart 200**

Jump starters



Engine size compatibility To jump start 12 V vehicles with up to 3 L petrol engines



Battery Power Powerful 6000 mAh Lithium Cobalt battery



Powerbank-Function Charging electronic devices including smart phones and tablets



## Compact and powerful lithium jump starter with power bank feature

The OSRAM BATTERYstart200 is a powerful 6000mAH Lithium Cobalt jump starter for 12V vehicles up to 3L. It can also provide power for other electronic gadgets with a power bank feature that works through USB cables.

An easy way to jump start your car, the BATTERYstart200 protects the user, jump starter and the vehicle with its connect system which features anti-spike, reverse polarity and short circuit protection.

The BATTERYstart200 is compact enough to fit into the glovebox and weighs only 300g, making it easier to carry and use than the older models of jump starters.

## Product family datasheet

### Technical data

\_

	Product information			
Product description	Application (Category and Product specific)	Efficiency	Recommended Petrol Engine size (up to)	USB sockets 2.1A
BATTERY start 200	Lithium Starter	Good	3 l	1
		General Product Information	Physical Attributes & D	Dimensions
Product description	12V Power socket connection	Global order reference	Length	Width
BATTERY start 200	n/a	OBSL200	169.0 mm	89.0 mm
		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
			,	(EC) 1907/2008
Product description	Height		CAS No. of substance	Safe use instruction

Product description	Declaration no. in SCIP database
BATTERY start 200	2e7825ad-09e9-
	4b6c-9aa2-
	bf5e2e461e8f

## Product family datasheet

### Download Data

	File
Z	User instruction BATTERYstart
D	Movie application BatteryStart How to Video (ITA)
D	Movie application BatteryStart How to Video (EN)
D	Product movie OSRAM BATTERYstart 200 Product Video (EN)

### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet.

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.