

# **VISION SENSOR**

VISION | Stand-alone motion sensors with switching contact



#### Product family features

- Motion sensor with switching contact
- Adjustable switch-off delay: 30 s to 20 min
- Maximum power consumption in stand-by mode: 0.25 W

## Product family benefits

- Energy savings up to 35 % (compared to manual switching)

#### Areas of application

- Large areas
- Open-plan offices, corridors and storage rooms


## Product datasheet

#### Technical data

#### **Electrical data**

| Nominal voltage | 120277 V |  |
|-----------------|----------|--|
| Mains frequency | 5060 Hz  |  |
| System wattage  | 060 W    |  |

## **Dimensions & weight**



| Diameter       | 1160 mm |
|----------------|---------|
| Width          | 1156 mm |
| Product weight | 13500 g |

#### Colors & materials

| Product color | White |
|---------------|-------|

#### **Capabilities**

| Maximum installation height | 4.5 m    |
|-----------------------------|----------|
| Detection area              | 21 m²    |
| Detection angle             | 140 ° ¹) |
| Load contact                | 5 A      |

<sup>1)</sup> Approximately

#### Certificates & standards

# Logistical data

| Commodity code | 85365080900 |
|----------------|-------------|

#### **Environmental information**

#### Product datasheet

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) |               |  |  |
|---|---------------|--|--|
| Date of Declaration   | 04-10-2023    |  |  |
| Primary Article Identifier  | 4008321957047 |  |  |
| Declaration No. in SCIP database                                      | In work       |  |  |

#### Equipment / Accessories

- Suitable for up to 15 electronic control gears
- Installation by means of Mounting Adapter possible

#### **Download Data**

|          | File   |
|----------|--|
| 乙        | Declarations of conformity 334824_Declaration of conformity – Mounting Adapter |
| 乙        | Declarations of conformity HB VISION sensor CE 3496315 01 160823               |
| 乙        | Installation/Operation notice 334345_Technical instructions                    |
| <u> </u> | Installation guide<br>334733_Technical instructions                            |

## Logistical Data

| Product code  | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume    | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------|--------------|
| 4008321957047 | VISION SENSOR       | Shipping carton box<br>20    | 365 mm x 360 mm x 224 mm             | 29.43 dm³ | 3828.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Accessories Optional

| Product description | Accessory name             | Accessory code        |
|---------------------|----------------------------|-----------------------|
| VISION SENSOR       | Mounting Adapter           | 4008321480798         |
| VISION SENSOR       | DALI COUPLER LS HIGHBAY G2 | <b>4</b> 062172072137 |

# Product datasheet

| 11 | 150 | ıa | ım | ρг |
|----|-----|----|----|----|

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.