OSRAM

LEDinspect TWIST250

Inspectionlights





Multi-Angle Flex & Twist High flexibility and diverse adjustment possibilities thanks to multi angle

positioning



250 Lumen
2 light functions:Up to 250lm

-highUp to 125lm -low



2in1Inspectionlight & Torchlight function



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

With the TWIST 250 you have the possibility to easily control the direction of the light beam. A light output of up to 250 lumens and a colour temperature of up to 6000K, make the TWIST 250 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data

| | Product information | General Prod Information | uct | Electrical Dat | a | | |
|---------------------|--|-----------------------------|--------------------------|--|-----------------------|--|--|
| Product description | Application (Catego and Product specific | - | | | ige | Nominal wattage | |
| INSPECTION LAMP | LED inspection light | ts LEDIL412 | | 3.7 V | | 8 W | |
| | Photometric Data | | | | Physic Dimen | al Attributes & | |
| Product description | Light color Non LED flux | ninal luminous | Color t | emperature | Height | t | |
| INSPECTION LAMP | White 250 | lm | 6000 K | ζ | 44.0 m | nm | |
| Product description | Width | Length | | Product weigl | nt | LED module information | |
| roduct description | | | | | | LEDs per module | |
| INSPECTION LAMP | 50.0 mm | 243.0 mm | | 488.00 g | | 2 | |
| | Colors & materials Lifetime Addit | | | dditional product data | | | |
| Product description | Base color | Guarantee | , | | | Number of included batteries | |
| INSPECTION LAMP | Black / Orange | 2 years | Yes | | 1 | | |
| | | Capabilities | Certificates & standards | | Logistical data | | |
| Product description | Type of Battery | Technology | Technology IK Class | | Watt hour per battery | | |
| INSPECTION LAMP | Rechargeable | LED | IK09 | | 8.14 | | |
| | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | | | | | |
| Product description | Candidate list substance 1 | CAS No. of su 1 | CAS No. of substance | | uction | Declaration no. in SCIP database | |
| INSPECTION LAMP | Lead | 7439-92-1 | | The identificathe Candidate substance is sufficient to a safe use of th article. | List llow | c20eb463-09bd- 4c1e-8bd5- 69238c3db62e | |

Product family datasheet

Download Data

| | File |
|----------|---|
| 7 | User instruction LEDinspect TWIST 250 |
| Z | User instruction GPRS_Safety symbols instructions |
| D | Movie application LEDinspect Inspection Lights Trailer |

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.