## **OSRAM**

# LEDinspect POCKET PRO400

## Inspectionlights





Multi-Angle Flex & Twist High flexibility and diverse adjustment possibilities thanks to multi angle positioning



400 Lumen Up to 400 lumens and integrated switch for dimming the light



2 in 1 Function Inspection light & torch light combined in one



2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



### Light is versatile

This high-quality inspection light from OSRAM is designed to illuminate hard-to-reach areas. The POCKET PRO 400 combines a slim design with multi-axis rotation and tilting so that the light can be directed exactly where it is needed. Additionally, the flexible mounting options offer hands-free working. The pocket size with only 6mm depth and the low weight make this inspection light ideal for the workshop. This LED inspection light emits up to 400 lumens. It has a white light with up to 6000K for comfortable working conditions and is therefore designed for wide illumination as well as for the illumination of narrow spaces. The light intensity can be easily adjusted via the on/off switch. In

Product family datasheet | LEDinspect POCKET PRO400 © 2025, OSRAM GmbH. All rights reserved.

addition, the POCKET PRO 400 has a powerful torch for a concentrated beam of light. It is rechargeable and cordless, with Li-ion battery for constant light output. The lamp has an operating time of up to 3h and a recharging time of approx. 4h. Charging cable and mains plug included. In addition, OSRAM provides a 2-year guarantee on this product\*

Technical data

	Product information	General Product Information Global order reference		Electrical Data		
Product description	Application (Category and Product specific)			Nominal wattage		Nominal voltage
INSPECTION LAMP	LED inspection lights	LEDIL409		9 W		3.7 V
	Photometric Data				Physic Dimen	al Attributes & sions
Product description	Color temperature	Nominal luminous Light co flux LED		Light color LED	Product weight	
INSPECTION LAMP	6000 K	400 lm White		White	206.00 g	
						LED module information
Product description	Length	Width		Height		Number of LEDs per module
INSPECTION LAMP	215.0 mm	100.0 mm		55.0 mm		2
	Colors & materials	Lifetime Data	Additional product data			
Product description	Base color	Guarantee	Type of Battery		Number of included batteries	
INSPECTION LAMP	Black / Orange	2 years	Recharg	eable	1	
		Capabilities	Certificates & L standards		Logistical data	
Product description	Scope of battery	Technology	IK Class		Watt hour per battery	
INSPECTION LAMP	Yes	LED	IK06		5.00	
	Environmental & Regu Information according			(EC) 1907/2006	(REACh)	
Product description	Candidate list substance 1	CAS No. of su 1	bstance	Safe use instru	iction	Declaration no. in SCIP database
INSPECTION LAMP	Lead	7439-92-1		The identificat the Candidate substance is sufficient to al safe use of the article.	List low	bce4864c-75dc- 487e-8eaf- 2fa43e657f44

### Download Data

	File
*	User instruction LEDinspect POCKET PRO 400
	User instruction GPRS_Safety symbols instructions
D	Movie application LEDinspect Inspection Lights Trailer

#### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

www.osram.com/am-guarantee

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

\_\_\_\_