Product family datasheet

LEDinspect SLIM MAX1000

Inspectionlights

Dimmer Switch
Individually adjustable brightness levels with up to 1000 lm

1000 Lumen
Bright, white LED light and uniform light distribution

Multi-Angle Light Output
High flexibility due to individual adjustment of the light beam

2-year-OSRAM guarantee*
Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

Light is versatile

This high-quality inspection light is perfect for professional and private use. With an integrated dimmer, you can select the appropriate brightness level with up to 1000lm for the task at hand with the SLIM MAX 1000. The ultra slim design combined with multi-angle positioning gives maximum flexibility and adjustability to give light exactly where needed. The SLIM MAX 1000 is rechargeable and cordless with Li-ion battery and can therefore provide constant light output. The lamp has an operating time of up to 1.5h with high light output or up to 10,5h with low light output. A USB Type-C charging cable is included in the scope of supply. In accordance with the IP protection class IP65, this inspection

© 2026, OSRAM GmbH. All rights reserved.

light has protection against the ingress of dust and water and is tested for impact resistance in accordance with IK06. This inspection light has an integrated hook and magnets for hands-free work, making it ideal as a light for manual tasks, car repairs and for everyday use. In addition, OSRAM grants a 2-year guarantee on this product*

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Technical data

	Product information	General Product Information	Electrical Data	
Product description	**Application (Category and Product specific)**	**Global order reference**	**Nominal wattage**	**Nominal voltage**
INSPECTION LAMP	LED inspection lights	LEDIL410	9 W	3.7 V

	Photometric Data			Physical Attributes & Dimensions
Product description	**Color temperature**	**Nominal luminous flux**	**Light color LED**	**Product weight**
INSPECTION LAMP	6000 K	1000 lm	White	340.00 g

				LED module information
Product description	**Length**	**Width**	**Height**	**Number of LEDs per module**
INSPECTION LAMP	365.0 mm	50.0 mm	50.0 mm	2

	Colors & materials	Lifetime Data	Additional product data	
Product description	**Base color**	**Guarantee**	**Type of Battery**	**Number of included batteries**
INSPECTION LAMP	Black / Orange	2 years	Rechargeable	1

		Capabilities	Certificates & standards	Logistical data
Product description	**Scope of battery**	**Technology**	**IK Class**	**Watt hour per battery**
INSPECTION LAMP	Yes	LED	IK06	9.49

	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Product description	**Candidate list substance 1**	**CAS No. of substance 1**	**Safe use instruction**	**Declaration no. in SCIP database**
INSPECTION LAMP	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	99d5749d-0f33-4ebf-9ff7-b17da405d236

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Download Data

	File
	User instruction GPRS_Safety symbols instructions

Legal advice
Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, OSRAM GmbH. All rights reserved.