## **OSRAM**

# LEDinspect SLIM MAX1000

### Inspectionlights





Dimmer Switch
Individually adjustable
brightness levels with up to
1000 lm



1000 Lumen
Bright, white LED light and uniform light distribution



Multi-Angle Light Output
High flexibility due to
individual adjustment of the
light beam



#### 2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

### Product family datasheet



#### Light is versatile

This high-quality inspection light is perfect for professional and private use. With an integrated dimmer, you can select the appropriate brightness level with up to 1000lm for the task at hand with the SLIM MAX 1000. The ultra slim design combined with multi-angle positioning gives maximum flexibility and adjustability to give light exactly where needed. The SLIM MAX 1000 is rechargeable and cordless with Li-ion battery and can therefore provide constant light output. The lamp has an operating time of up to 1.5h with high light output or up to 10,5h with low light output. Charging cable and mains adaptor are included in the scope of supply. In accordance with the IP protection class IP65, this inspection light has protection against the ingress of dust and water and is tested for impact resistance in accordance with IK06. This inspection light has an integrated hook and magnets for hands-free work, making it ideal as a light for manual tasks, car repairs and for everyday use. In addition, OSRAM grants a 2-year quarantee on this product\*

### Product family datasheet

### Technical data

INSPECTION LAMP

	Product information			Electrical data			Photometrical data			
Product description	Order reference	Application (Cate and Product spec			Nominal voltage		Nominal wattage	Light co		Color temper- ature
INSPECTION LAMP	LEDIL410	LED insp	ection	lights	3.7 V		10.00 W	White		6000 K
		LED module Dim		Dimens	mensions & weight					
Product description	Luminous flux	Number of LEDs per module		Height	Width		Lenç	ngth Produc weigh		-
INSPECTION LAMP	1000 lm	2		50.0 mr	n	65.0 mn	n 365.	0 mm	340.00	g
	Colors & materials		Lifes	ifespan Additional pr		ional pro	oduct data			
Product description	Base color		Guar	Guarantee		,		Number of included patteries		d
INSPECTION LAMP	Black / Orar	nge	2 yea	ars	Yes			1		
			Capa	abilities	Certificates & standards		&	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		<b>c</b> )
Product description	Type of Battery		Tech	nology	IK Class			Date of Declaration		on

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
INSPECTION LAMP	4062172355674	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

LED

IK06

08-03-2024

Rechargeable

Product description	Declaration No. in SCIP database
INSPECTION LAMP	99d5749d-0f33-4ebf- 9ff7-b17da405d236

### Product family datasheet

### **Application advice:**

For more detailed application information and graphics please see product datasheet and user instruction.

\*for precise conditions please refer to:

www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.