## **OSRAM**

# LEDambient Trunk Light





Universal LED trunk light with acceleration and brightness sensor

For higher visibility in

everyday situations



Multi-function 2 in 1

Applicable as trunk and torch

light



Easy car side fixation via magnet and additional mounting plate

Strong magnet for a quick attachment



2 years OSRAM guarantee<sup>1)</sup>1)For precise conditions refer to: www.osram.com/amguarantee

Powerful performance and exceptionally long service life



### Precisely illuminating vehicle interiors

Introducing the universal LEDambient Trunk Light, the perfect companion for your car's storage space. Packed with advanced features and designed to enhance your convenience, this versatile light will transform the way you use the trunk. Featuring an acceleration and brightness sensor, the trunk light boasts an automatic light function that activates as soon as you open the car trunk. Our light illuminates your trunk instantly, making it effortless to find what you need. With both automatic and manual functionality, you have complete control over the lighting. With a color temperature of up to 6,000K, the trunk light provides a bright and clear illumination, allowing you to see every detail in your trunk. Very practical: With its 2 in 1

## Product family datasheet

multifunction, the light can be used as an inspection lamp and as a torch light. In addition, equipped with a rechargeable 1500mAh battery, the trunk light offers long-lasting performance. The included USB-C cable allows for convenient charging, ensuring you're always prepared. Thanks to the easy car side fixation via the magnet and additional mounting plate, an easy installation is included. Simply attach the light to your car's interior using the strong magnet or the included mounting plate, and you're ready to go. The powerful magnet ensures a secure attachment, so you never have to worry about the light falling or moving while you're on the road. Trust in the quality and durability of the universal LED trunk light - OSRAM provides a 2-year guarantee<sup>1)</sup>. 1)For precise conditions refer to: www.osram.com/am-guarantee

## Product family datasheet

## Technical data

	General Product Information	Electrical Data		Photometric Data
Product description	Global order reference	Nominal wattage	Nominal voltage	Color temperature
LEDambient Trunk Light	LEDINT106	30.00 W	3.7 V	6000 K
		Physical Attributes &	& Dimensions	
Product description	Nominal luminous flux	Product weight	Length	Width
LEDambient Trunk Light	40 lm	100.00 g	108.0 mm	17.5 mm
		Lifetime Data	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description	Height	Lifespan Guarante	ee Standards	Primary article identifier
LEDambient Trunk Light	63.0 mm	1000 hr 2 years	CE	4062172240062

Product description	Candidate list substance 1	Declaration no. in SCIP database
LEDambient Trunk Light	No declarable	No declarable
	substances contained	substances contained

## Product family datasheet

### Download Data

	File
Z	User instruction GPRS_Safety symbols instructions
<b></b>	User instruction LEDambient TRUNK LIGHT
D	Movie application LEDambient Trunk Light LEDINT106 Produkt Video DE
D	Movie application LEDambient Trunk Light LEDINT106 Product Video EN

## Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

## **Application advice**

For more detailed application information and graphics please see product datasheet.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.