

# LEDiving BASIC P21W



Product family datasheet

Technical data


Product description	Product information			Electrical data		
	Order reference	Product type (off-road vs. on-road)	Application (Category and Product specific)	Power input	Nominal voltage	Nominal wattage
LEDDriving BASIC $\triangleq$ P21W	7356CW	Off-road $\triangleq$ P21W	Mainly used for signal/ indicator applications	1.44 W	12.0 V	1.20 W

Product description	Power input tolerance	Test voltage	Photometrical data	Dimensions & weight		Lifespan	
			Luminous flux	Length	Diameter	Lifespan B3	Lifespan Tc
LEDDriving BASIC $\triangleq$ P21W	$\pm 20\%$	13.5 V	85 lm	38.2 mm	20.0 mm	2000 h	2000 h

Product description	Additional product data	Capabilities	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Base (standard designation)	Technology	Date of Declaration	Primary Article Identifier
LEDDriving BASIC $\triangleq$ P21W	BA15s	LED	06-03-2024	4052899414471   4052899414457   4052899427136   4052899463103   4052899463318

Product description	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
LEDDriving BASIC $\triangleq$ P21W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	c583693a-46e5-4c4f-83a9-dac2ada6ba15   d093b426-00c5-4f97-9516-27dd98167ef2   1f8b9ac6-80cf-4025-9b20-602066abdedc   cef1d027-a386-4f57-ab7c-1d24968ed49e   ccdfc44b-95fd-4b60-97d3-317a31be77c4

Download Data

File	
	Brochures LEDriving Retrofits - Exchange overview (EN)

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.